

Amendments to the claims:

Please replace all prior versions and listings of the claims with the following amended claims:

Listing of Claims:

- 1 1. (Previously Presented) A device comprising a cleaning head, the cleaning head  
2 comprising:  
3 a) a first region with a first squeegee element configured to treat a working surface  
4 the first region being configured to move; and  
5 b) a second region with bristles configured simultaneously treat the working surface,  
6 the second region being configured to move independently of the first region.
- 1 2. (Original) The device of claim 1, wherein the second region further comprises a second  
2 squeegee element.
- 1 3. (Original) The device of claim 1, wherein the first region further comprises bristles.
- 1 4. (Currently Amended) The device of claim 1, wherein the at least one of the first region  
2 and second region is configured to ~~vibrate~~, rotate or oscillate.
- 1 5. (Withdrawn) The device of claim 1, wherein the first squeegee element comprises top  
2 wiping squeegee edges and side wiping squeegee edges.
- 1 6. (Original) The device of claim 1, wherein the first squeegee element comprises a  
2 squeegee wall that encircles an inner squeegee region.
- 1 7. (Original) The device of claim 1, wherein the second region comprises a second squeegee  
2 element.
- 1 8. (Withdrawn) The device of claim 7, wherein the second squeegee element comprise top  
2 wiping edges and side wiping edges.

- 1 9. (Withdrawn) The device of claim 1, further comprising a motorized handle configured to  
2 detachably couple the cleaning head.
- 1 10. (Withdrawn) The device of claim 1, wherein a portion of the first squeegee element is  
2 corrugated, rounded, angled or pointed.
- 1 11. (Withdrawn) The device of claim 1, further comprising nodules protruding from the  
2 cleaning head.
- 1 12. (Currently Amended) A device comprising a motorized cleaning head, the motorized  
2 cleaning head comprising:  
3 a) a first region configured to move in a first direction, the first region comprising:  
4 i. a squeegee member with ~~an elongated squeegee walls wall and a~~  
5 ~~plurality of fin structures protruding from the elongated squeegee~~  
6 ~~wall~~; and  
7 ii. bristles flanking the elongated walls; and  
8 b) a second region configured to move in a second direction, the second region  
9 comprising a portion of the bristles.
- 1 13. (Original) The device of claim 12, wherein the elongated squeegee wall is curved.
- 1 14. (Currently Amended) The device of claim 12, wherein the ~~squeegee member~~ the first  
2 region is configured to ~~vibrate~~; rotate or oscillate.
- 1 15. (Withdrawn) The device of claim 12, wherein one or more of the plurality of fin  
2 structures are curved.
- 1 16. (Original) The device of claim 12, wherein the elongated squeegee wall encircles at least  
2 a portion of the bristles.
- 1 17. (Original) The device of claim 12, wherein the elongated squeegee wall is surrounded by  
2 at least a portion of the bristles.
- 1 18. (Withdrawn) The device of claim 12, further comprising nodules.

1 19. (Currently Amended) The device of claim 12, wherein ~~at least a portion of the motorized~~  
2 ~~cleaning head~~ the second region is configured to ~~vibrate~~; rotate or oscillate.

1 20. (Currently Amended) A cleaning device comprising:  
2 a) a first section configured to ~~vibrate~~ rotate or oscillate; and  
3 b) a second section configured to rotate or oscillate,  
4 wherein the first and the second sections comprise bristles.

1 21. (Original) The device of claim 20, further comprising one or more squeegee wiping  
2 elements.

1 22. (Withdrawn) The device of claim 20, further comprising one or more nodules.

1 23. (Withdrawn) The device of claim 20, further comprising a handle.

1 24. (Withdrawn) The device of claim 23, wherein the handle is configured to detachably  
2 couple to the first section and the second section.

1 25. (Previously Presented) A device comprising a cleaning head comprising:  
2 a) a first wiping region; and  
3 b) a second wiping region, wherein the first wiping region surrounds the second  
4 wiping region and the first wiping region and the second wiping section are  
5 configured to automatically move independently from each other, wherein at least  
6 one of the first wiping region and the second wiping region comprises a squeegee  
7 element.

1 26. (Previously Presented) A device comprising a cleaning head, the cleaning head  
2 comprising:  
3 a) a first region with a first squeegee element and bristles configured to treat a  
4 working surface the first region being configured to move; and  
5 b) a second region with bristles configured simultaneously treat the working surface,  
6 wherein at least one of the first region and the second region is being configured to move  
7 independently of the other of the first region and the second region.

- 1 27. (Previously Presented) The device of claim 26, wherein the second region further  
2 comprises a second squeegee element.
- 1 28. (Previously Presented) A device comprising a cleaning head, the cleaning head  
2 comprising:  
3 a) a first region with a first squeegee element configured to treat a working surface  
4 the first region being configured to move; and  
5 b) a second region with a second squeegee element configured simultaneously treat  
6 the working surface,  
7 wherein at least one of the first region and the second region is being configured to move  
8 independently of the other of the first region and the second region.
- 1 29. (Previously Presented) The device of claim 28, wherein the first region further comprises  
2 bristles element.
- 1 30. (Previously Presented) The device of claim 29, wherein the second region further  
2 comprises bristles.
- 1 31. (New) An electric toothbrush with a cleaning head, the cleaning head comprising:  
2 a) a first region a continuous squeegee element that encircles a portion of the first  
3 region, wherein the first region is configured to rotate or oscillate; and  
4 b) bristle surrounding at least a portion first continuous squeegee element, wherein  
5 the bristles are configured to rotate or oscillate.
- 1 32. (New) The electric toothbrush of claim 31, further comprising bristles protruding from  
2 the portion of the first region that is encircled by the continuous squeegee  
3 element.